## MileMaker®

### How to Create a Route in MileMaker

20 Steps

Created by

Creation Date

Last Updated

John Barrett

March 29, 2023

March 29, 2023



#### Go to app.milemaker.com

Login with your username and password to get started

#### STEP 2

### After logging in, you will be taken to the 'ROUTING' tab within MileMaker.



### On the left side panel, click the Guide Dropdown to select between Guide 19 and Guide 20.

Guide 19 was originally released in 2008, and is still used for rating purposes by some customers. Guide 20 is the latest routing guide, released in 2023, and is based upon the most updated road network. We recommend using Guide 20 for the most accurate mileage.

	_ `				47	
✓ Route 1			•	, Township	72	Crystal Lak
Guide 20 🔺	🖸 Quickes	t rout 👻	★ 🖻	90		Algonq
Guide 20		=×		45	20	Carpe
. Guide 19	Tolls	Distance	Duration	72		
					Plato Towns	hip
(†) (Q T	ype anything			ç		South E
					52	
			ADD STOP			Coint Char

### Click on the Routing Type dropdown to select between Practical, Quickest, and Household Goods (HHG) routing types.

• **Practical routing type** - calculates the most time-efficient route between locations. Practical routes are not calculated with HHG Tariff Mileages. Practical routes are also best suited for freight rating and auditing.

• **Quickest routing type** - calculates the fastest route between locations using live data such as real-time traffic conditions. Quickest routes are best suited for truck routing and dispatching.

• **HHG routing type -** calculates the shortest distance between locations over truck-usable roads. All MileMaker HHG Mileage routes give you HHG Tariff Mileages, which are used as a standard for freight rating and auditing.



Click the 'Configuration' tab to specify parameters you'd like to avoid, and the time to depart.





Click on the 'Vehicle & Hazmat' tab to specify Trailer Dimensions, Weight, Axles, and Hazmat categories.

Guide 20 👻 🙆	Quickest rout	- 🛧 🗳	TZ Cary Lake Zurich Highland Park
			Barrington
<u> </u>	Vehicle & Hazi	mat 📑	20 Carpentersville Palatine Northbrook
			59 Mount Prospect Glenview
Truck			Plato Township Elgin Streamwood 90 Des Plaines 14 Evanston
Single 53ft		-	South Eigin Bartlett Roselle
← Height*			Bloomingdale Bensenville Norridge
	13 ft	6 in	Addison Elmwood Park
Width*			Elmhurst
	8 ft	6 in	U Wheaton
Weight*		80,000 lbs	Batavia 110 Berwyn
		00,000 153	North Aurora Warrenville La Grange
Axles*		5	Naperville
- Hazardous Material Type			Aurora Darien Bridgeview.
None		-	
			Oswego and Bolingbrook
🔿 Car			no Lemont Palos Heights
O our			Yorkville Bomeoville Orland Park Dolton
			Plainfield Homer Glen Oak Forest, Harvey Calun



### Click on the 'Costs' tab to specify Fuel price, Fuel economy, Maintenance cost, and Labor costs.

MileMaker will use these values to calculate estimated costs for the route

Riley Township
Rockford Riley Township
Riley Township
Riley Township
Carpentersville
Elgin
DeKalb Saint Charles
Batavia Whee Aurora
Bolin



Click on the 'Stops' tab to enter your origin, destination, and up to 8 waypoints in between.



#### STEP 9

#### Use the search bar to enter the first stop.

Accepted values include zip codes, cities, addresses, points of interest, geo-coordinates, and SPLC codes.





#### Select the best match from the search results.



#### STEP 11

### Confirm that the location is correct on the map, and then click 'ADD' to add the stop to your route.



#### Repeat the previous 3 steps to add additional stops



#### STEP 13

### Once you have added 2 or more stops, a route will automatically be calculated based on your selected route settings.



### On the bottom left of the route panel, you will see a summary of key information for this route.

The summary includes Toll costs, Fuel costs, Other costs (maintenance & labor), Distance, and Duration.



#### STEP 15

#### **Click on GENERATE REPORT**



#### The Route Report will open in a new tab, providing more detail for this route.

Route 1 8725 W Higgins R	d, Chicago, IL $\rightarrow$ 🎮 702 SW 8th	St, 72712, Bentonville, AR						Last planned at 3:15 PM, March 29th, 202
State Breakdo	wn Report						Route Summary	
State	Distance (mi)	With Toll (mi)	Non-Toll (mi)	Ferry (mi)	Duration	Toll Costs	≢ Distance	634.41 mi
AR	17.30	0.00	17.30	0.00	0h 19m	0.00 USD	Ouration	11h 01m
IL	296.67	15.85	280.82	0.00	4h 36m	16.40 USD	(O Tolls	16.40 USD
мо	320.44	0.00	320.44	0.00	4h 55m	0.00 USD	B) Fuel costs	406.02 USD ()
USA	634.41	15.85	618.56	0.00	9h 50m	16.40 USD	* Other costs	857.41 USD ()
Total	634.41	15.85	618.56	0.00	9h 50m*	16.40 USD	Route Settings	
Traffic delay is not	taken into account						1 Routing type	Quickest
Route Itinerar	y Report						Direction	From: 8725 W Higgins Rd, Chicago, IL To: 702 SW 8th St, 72712, Bentonville, AR
Maneuver		Ма	neuver Distance (mi)	Total Distance (mi)	Maneuver Duration	Total Duration	Configuration	Avoid: Unpaved roads, Ferries, Tunnels, Border crossings
🔶 8725 W Hig	ggins Rd, Chicago, IL						Vehicle & Hazmat	Trailer Length: Single 53ft
Sharp right onto I	Sharp right onto I-190 W towards I-90-TOLL		0.41	0.41	0h 01m	0h 01m		Height: 13'6" Width: 8'6"
Bear right onto I-	190 W		0.67	1.08	0h 01m	0h 02m		Weight: 80000 lbs
Take exit 1D on th	he left, onto I-294 S towards Indian	a	1.15	2.23	0h 01m	0h 04m		Axles: 5
Keep left onto I-2	94 S		1.36	3.59	0h 01m	0h 05m	0.0	Hazardous Material Type:
Keep left onto I-2	94 S		7.10	10.69	0h 08m	0h 14m	③ Departure	3:15 PM, March 29th, 2023 *For origin time zone (UTC+6)
Keep left onto I-2	94 S		0.68	11.38	0h 01m	0h 14m	S Exchange rate	
	94 S		1.05	12.43	0h 01m	Oh 16m	Guide	Guide 20

#### STEP 17

The Route Summary in the top right shows the same key statistics seen in the route panel on the previous screen.

				Last planned at 3:15 PM, March 29th, 2023
			Route Summary	
ry (mi)	Duration	Toll Costs	<b>‡</b> Distance	634.41 mi
			Ouration	11h 01m
0.00	0h 19m	0.00 USD	(O Tolls	16.40 USD
0.00	4h 36m	16.40 USD	Fuel costs	406.02 USD (i)
0.00	4h 55m	0.00 USD	☆ Other costs	857.41 USD (j)
0.00	9h 50m	16.40 USD		
0.00	9h 50m*	16.40 USD	Route Settings	
			1 Routing type	Quickest
			Direction	From: 8725 W Higgins Rd, Chicago, IL

The State Breakdown report shows these same key statistics broken down by each country, and each state or province that this route crosses.

Route 1 8725 W Higgins R	d, Chicago, IL 🔶 🏴 702 SW 8th	St, 72712, Bentonville, AR						Last planned at 3:15 PM, March 29th, 200
State Breakdo	wn Report						Route Summary	
State	Distance (mi)	With Toll (mi)	Non-Toll (mi)	Ferry (mi)	Duration	Toll Costs	# Distance	634.41 mi
AR	17.30	0.00	17.30	0.00	0h 19m	0.00 USD	Ouration	11h 01m
IL I	296.67	15.85	280.82	0.00	4h 36m	16.40 USD	(O Tolls	16.40 USD
MO	320.44	0.00	320.44	0.00	4h 55m	0.00 USD	E) Fuel costs	406.02 USD 🚯
USA	634.41	15.85	618.56	0.00	9h 50m	16.40 USD	* Other costs	857.41 USD 🛈
Total	634.41	15.85	618.56	0.00	9h 50m*	16.40 USD	Route Settings	
•Traffic delay is not	taken into account						10 Routing type	Quickest
Route Itinerar	y Report						Direction	From: 8725 W Higgins Rd, Chicago, IL To: 702 SW 8th St, 72712, Bentonville, AR
Maneuver		Ma	neuver Distance (mi)	Total Distance (mi)	Maneuver Duration	Total Duration	Configuration	Avoid: Unpaved roads, Ferries, Tunnels, Border crossings
角 8725 W Hi	ggins Rd, Chicago, IL						R Vehicle & Hazmat	Trailer Length: Single 53ft
Sharp right onto	-190 W towards I-90-TOLL		0.41	0.41	0h 01m	0h 01m		Height: 13'6" Width: 8'6"
Bear right onto I-	190 W		0.67	1.08	0h 01m	0h 02m		Weight: 80000 lbs
Take exit 1D on t	he left, onto I-294 S towards Indiar	na	1.15	2.23	0h 01m	0h 04m		Axles: 5
Keep left onto I-2	94 S		1.36	3.59	0h 01m	0h 05m		Hazardous Material Type:
Keep left onto I-2	94 S		7.10	10.69	0h 08m	0h 14m	() Departure	3:15 PM, March 29th, 2023 'For origin time zone (UTC+6)
Keep left onto I-294 S				11.38	0h 01m		S Exchange rate	

#### STEP 19

### The Route Settings section shows the settings and configurations used to calculate this route.

0 9h 50m* 16.40 USD			Route Settings	
			ທີ Routing type	Quickest
			Direction	From: 8725 W Higgins Rd, Chicago, IL To: 702 SW 8th St, 72712, Bentonville, AR
i)	Maneuver Duration	Total Duration	Configuration	Avoid: Unpaved roads, Ferries, Tunnels, Border crossings
			🔲 Vehicle & Hazmat	Trailer Length: Single 53ft Height: 13'6"
1	0h 01m	0h 01m		Width: 8'6"
8	0h 01m	0h 02m		Weight: 80000 lbs
3	0h 01m	0h 04m		Axles: 5
9	0h 01m	0h 05m		Hazardous Material Type:
9	0h 08m	0h 14m	() Departure	3:15 PM, March 29th, 2023 *For origin time zone (UTC+6)
8	0h 01m	0h 14m	S Exchange rate	
3	0h 01m	0h 16m	Guide	Guide 20

### The Route Itinerary report provides full turn-by-turn directions for each leg of the route.

Note: Turn-by-Turn directions are only available in Guide 20.

oute Itinerary Report					Direction	From: 8725 W Higgins Rd, Chicago, IL To: 702 SW 8th St, 72712, Bentonville, AR	
Maneuver	Maneuver Distance (mi)	Total Distance (mi)	Maneuver Duration	Total Duration	Configuration	Avoid: Unpaved roads, Ferries, Tunnels, Bord crossings	
🕏 8725 W Higgins Rd, Chicago, IL					K Vehicle & Hazmat	Trailer Length: Single 53ft Height: 13'6"	
Sharp right onto I-190 W towards I-90-TOLL	0.41	0.41	0h 01m	0h 01m		Width: 8'6"	
Bear right onto I-190 W	0.67	1.08	0h 01m	0h 02m		Weight: 80000 lbs	
Take exit 1D on the left, onto I-294 S towards Indiana	1.15	2.23	0h 01m	0h 04m		Axles: 5 Hazardous Material Type:	
Keep left onto I-294 S	1.36	3.59	0h 01m	0h 05m	() Departure	3:15 PM, March 29th, 2023 *For origin time ze	
Keep left onto I-294 S	7.10	10.69	0h 08m	0h 14m	C Departure	(UTC+6)	
Keep left onto I-294 S	0.68	11.38	0h 01m	0h 14m	S Exchange rate		
Keep left onto I-294 S	1.05	12.43	0h 01m	0h 16m	Guide	Guide 20	
Exit right, onto I-55 S towards Stevenson Expy	6.03	18.46	0h 06m	0h 23m			
Keep right onto I-55 S towards Stevenson Expy	0.65	19.11	0h 01m	0h 24m			
Keep left onto I-55 S	7.04	26.16	0h 08m	0h 32m			
Keep right onto I-55 S towards St Louis	112.99	139.15	1h 43m	2h 15m			
Keep left onto I-55 S towards St Louis	64.88	204.03	0h 56m	3h 12m			
Keep left onto I-55 S towards St Louis	89.47	293.50	1h 19m	4h 31m			
Keep left onto I-55 S towards I-55	1.67	295.17	0h 02m	4h 34m			
Take exit 40B on the right, onto I-44 S towards Tulsa	1.71	296.88	0h 02m	4h 36m			
Bear left onto I-44 S toward Tulsa	0.12	297.00	0h 01m	4h 36m			
Take exit 207/290 on the right, onto I-44 W towards Gravois Ave	1.18	298.18	0h 01m	4h 38m			
Keep left onto I-44 W towards Highway Dr N	13.20	311.39	0h 14m	4h 52m			
Exit right, onto I-49 S towards Neosho	264.97	576.36	4h 01m	8h 54m			
Keep left onto I-49 S	0.30	576.66	0h 01m	8h 54m			

